

## **Y Pwyllgor Iechyd a Gofal Cymdeithasol**

**HSC(4)-13-12 papur 6**

### **Goblygiadau Iechyd Cyhoeddus o ddarpariaeth annigonol o doiledau cyhoeddus - Llythyr gan y Pwyllgor Cymunedau, Cydraddoldeb a Llywodraeth Leol**

Ynghlwm fel atodiad i'r papur hon, ceir llythyr gan y Pwyllgor Cymunedau, Cydraddoldeb a Llywodraeth Leol yn ymateb i'r adroddiad gan y Pwyllgor Iechyd a Gofal Cymdeithasol ar y dystiolaeth a dderbynwyd ar y goblygiadau iechyd cyhoeddus o ddarpariaeth annigonol o doiledau cyhoeddus.

Gwasanaeth y Pwyllgorau



Pwyllgor Cymunedau, Cydraddoldeb a  
Llywodraeth Leol

Communities, Equality and Local Government  
Committee

Mark Drakeford, AM  
Chair, Health and Social Care Committee  
National Assembly for Wales  
Cardiff Bay  
CF99 1NA

Bae Caerdydd / Cardiff Bay  
Caerdydd / Cardiff  
CF99 1NA

20 April 2012

Dear Mark

**Health and Social Care Committee – Inadequate public toilet facilities**

Thank you for your letter of 5 March, in relation to the Health and Social Care Committee's inquiry into public toilet facilities.

The Communities, Equality and Local Government Committee considered and noted the contents of your report in its meeting on 15 March 2012.

Given that the evidence you collected suggests that there is a case for further investigation of local authority provision of public toilet facilities, I will be writing to the Minister for Local Government to make further inquiries in relation to this issue.

I will, of course, provide you and the Health and Social Care Committee with an update once the Minister's response is received.

Yours sincerely

**Ann Jones AC / AM**  
Cadeirydd / Chair

Croesewir gohebiaeth yn y Gymraeg a'r Saesneg / We welcome correspondence in both English and Welsh  
Pwyllgor Cymunedau, Cydraddoldeb a Llywodraeth Leol / Communities, Equality and Local Government Committee  
Gwasanaeth y Pwyllgorau / Committee Service  
Ffôn / Tel : 029 2089 8429  
Ebst / Email : [Communities.Equality&LocalGov@wales.gov.uk](mailto:Communities.Equality&LocalGov@wales.gov.uk)